BAITO




Main products、Slide retainer series、Mould locking component series、
Wear plate series、Date stamp、Positioning component series、
Air valve series、Ejector pin、Sprue series、Cooling series.....


Create mold parts One-stop shopping


BAITO


www.baitomould.com

Slide retainer  PSL	Slide retainer  MRT	Slide retainer  PSR	Slide retainer  RC	Slide retainer  SLK8A	Slide retainer  SLK25A–50A	Automatic retainer  RA
Slide retainer  Z5129	Slide retainer  Z5140/1	Slide retainer  Z5140/2	Slide retainer  SLLK	Slide retainer  Z189	Ball plunger  Z36	Ball plunger  Z361
Slide holding devices  Z5142	Slide retainer  BT-B3044	Slide retainer  Z5135	Ball plunger  Z37	Ball plunger  Z372	Ball plunger  Z374	Latch lock  PLSZ/PLMZ
Latch lock  Z170	Latch lock  Z171	Latch lock  GGS	Latch lock  LL	Latch lock  PPL	Latch lock  MPLK	Latch lock  PLSW
Latch lock  MLK	Parting lock  PL	Bushing for parting lock  PLBS	Latch lock  DTP08A	Bushing for parting lock  Z73	Latch lock  BT-B1936	Hook type lock template  DPPH
lock template  OPPS	Latch lock  KL	Latch lock  KU	Latch lock  Z5-0	Latch lock  Z5-31	Internal latch lock Z3-1/Z3-11	Internal latch lock DKL
Internal latch lock BT-B1840	Latch lock Z174	Latch lock Z4	Latch lock Z4-30	Latch lock BT-B1820	rolling puller BT-B1808	claw clamp BT-B1809
Synchronize parting lock SSK	Slider units BT-B3080	Undercut unit UU	Slider units SU	Slider units Z4290	Slider units Z4294	Synchronized Opener and Closer P.SK-RSA-250

※Due to limited layout and many more products information is not exhaustive, as for detailed information, please call 86-769-83600929


Transport lock  S.Z6041	Latch lock  M.TYPE	Latch lock  S.Z5-4	Latch lock  BT-B1815	Synchronized Opener and Closer  H.Z1545/...	Synchronized Opener and Closer  H.Z1547/...	Synchronized Opener and Closer  P.SK-GHA-250
Slider units  P.CAP3 P.CSE3	Slider units  C.UC	Slider units  C.UA	Slider units  P.CA-100	Slider units  P.CA-200 P.CA-200L	Slider units  P.CA-350	Slide unit  BT-B3310
Slider units  H.Z1813	Angle pin  C.GI	Slider units  Z4296	Mini slide core units  MSCSG	Slide core units for two-color injection mold  SCTM	Wear plates  Z1821	Slider units  Z181
Slider units  Z1870	Slider units  Z1881	Slider units  Z1801	Slider units  Z1802	Slider units  Z1880	Angle pin housing  Z187	Slider units  BT-B3012
Angle pin housing  BT-B3060	Cotter with angle retainer  BT-B3027	Slider units  BT-B3070	Slider units  BT-B3072	Oil-free slide plates  BT415	Oil-free slide plates  BT-B3118	Oil-free slide plates  BT414
Guide strips  Z1852	Guide strips  Z185W	Guide strips  Z1850W	Wear plates  Z186W	Wear plates  BT001	Wear plates BT003	Guide strips BT005
Guide strips BT009	Guide strips BT010	Guide strips BT011	Guide strips BT012	Inension Inserts BT013	Helical spindle Z1500	Helical spindle Z1520
Oil free bushings MPTZ	Round latch locks AR	Roller guldes Z4514	Straight ejector pin BT507	Rectangular ejector pin BT512	Straight ejector sleeve pins BT515	Plate accelerator EP

Two-Stage single-Stroke ejector  FW1850	Two-stage ejectors  Z5085	Two-stage ejectors  Z169	Two-stage ejectors  Z1691	Two-stage ejectors  Z1692	Two-stage ejectors  Z1695	Two-stage ejectors  Z1697
Two-stage ejectors  Z1698	Accelerated ejector  AE	Accelerated ejector  Z141	Accelerated ejector  AED	Accelerated ejector  AEP	Sidie block  ULC	Qblique plate  ULB
Slide core units  SD	Slide core units  CI	Two-stage ejectors  BT-B1860	Two-stage ejectors  BT-B1865	Two-stage ejectors  BT-B1870	Two-stage ejectors  C.LR	Two-stage ejectors  C.DX
Two-stage ejectors  BT-B1525	Two-stage ejectors  C.DE	Superior plate separator  C.SX	Compact double ejection  C.SY	Compact double ejection  C.EY	Compact double ejection  C.EX	Internal ejection system  P.PLN
Early ejector return  M.ERST	Early ejector return  D.ER	Round latch locks  C.EZ	Ejector coupling device  R.401-402 R.411-412	Ejector coupling device  D.AR	Ejector coupling device  BT-B1804	Joint Slide Base  VF-JB
Spherical Guide Bushing Set  MTGL	Ejector Base  BA-BE-BT	Slider core units  Z1811	Slider core units  KOCUS	Slider core units  KOCU-K	Slider core units KOCUF	Slider core units RCSUF
Slider core units RCSUM	Slider core units KOCUM	Oil-free slide units for loose core SCZN	Inclined pin holder (Fixed type) SCZNP	Inclined pin holder (Fixed type) KPHF	Round locating units Z051	Round locating units Z061
Square interlocks TPNV	Square interlocks Z07	Square interlocks Z46	Square interlocks Z50	Square interlocks Z18	Square interlocks Z060	Square interlocks SSI

Square interlocks  PL	Square interlocks  XSI	Square interlocks  TL	Square interlocks  BGS	Square interlocks  TSSBN	Passage steering control valve  MRS	Puller limit plate  TLW
Replaceable Date Stamp  DTAA	Special date stamp pin  BT06-1	Replaceable Date Stamp  FA	Replaceable Date Stamp  FT	Three-lay Combined Date Stamp  FD	Recycling inserts  BT01	Date stamp of screw die casting die  BT02
Die casting die date stamp  BT03	Replaceable Date Stamp  Z4861	Replaceable Date Stamp  Z48	Replaceable Date Stamp  Z485	Replaceable Date Stamp  UYM	Replaceable Date Stamp  FYM	Multi date stamp  Z4863
Replaceable Date Stamp  FX	Traditional Date Stamp  BT05	Replaceable Date Stamp  Z4800	Replaceable Date Stamp  Z4810	Replaceable Date Stamp  Z48707	Air Multi date stamp  BM	Three-tier composite date stamp  FDA
Replaceable Date Stamp  DATI1300	Replaceable Date Stamp  DATI1400	Replaceable Date Stamp  DATI1800	Replaceable Date Stamp  DATI13000	Special date stamp pin  BT10	Air valves  VA	Air valves  AJVE
Air valves  VA	Air valves  Z491	Air valves  AJV	Air valves  APV	Air Valves  H.Z4912/...	Exhanst Valves M.MSTV	Collapsible core DT
Collapsible core CC	Collapsible core Z3600	Sprung core C.PE	Sprung core EE	Sprung core ED	Sprung core MD	Sprung core EXCAV
Sprung core MP	Sprung core PW	Sprung core FCA	Sprung core FCDA	Lifter A-ANG-1	Lifter B-ANG-1	Lifter C-ANG-1

BAITO

www.baitomould.com

Vector form lifter systems  D.VF-SS-VF-JS-VF-US	Sprue bushing A type  BT540	Sprue bushing B type  BT541	Sprue bushing C type  BT542	Insets of inlet gate of horn wires  GIS	Insets of inlet gate of horn wires  Z1050	Insets of inlet gate of horn wires  Z1060
Passage steering control valve  D.MRS	Sprue Adjuster  SA	Insets of inlet gate of horn wires  TGS/TGR	Insets of inlet gate of horn wires  MTGC	Sprue bushiLitter water spigot standard special sprue bushingng Btype  BT545-1	Locating rings A type  BT549	Carbon stainless steel material plug  Special
brass material plug  Special	steel material plug  OG/OM	High pressure ball plunger  Special	Hydraulic connector  BTWM/BTZM	Hydraulic connector  BTZG\BT2AZG	Hydraulic connector  BT3AZG/BT3AZM	Hydraulic connector  BTWG/BT2AZM
Sprue bushings  BT555	Mold mounted manifolds  IM3/IM4/IM6	Safety information  Special	YDS Swivel holstring  Special	Safety information  Special	GAS VENT  GAS	Cylinder  GASY
Round mold counte  M-CVPL	Square mold counter  M-CVR	Spiral brass plug baffles  Z812/...	Stop pins  Z55	Stop pins  Z551	Limit Switches  Z7600	Limit Switches  Z140/1
Limit Switches  XCMD	Limit Switches  TSW2221	Spiral water rod  Z96	Spiral water rod  Z968	Cooling circuit plugs  TTBP	Cooling circuit plugs Z942	Cascade-high flow type BT1616
Pliers set BT-B2077	Pliers set BT-BZ945/2	Deflection element BT-B2137	Deflection element BT-B2141	Tee reducer connector for air pipe BTPEG	Straight connection of air pipe BTPU	Threaded right Angle joint BTPL
Blowing dust gun BT-10	Pneumatic PU pipe BTZPU	Thin hydraulic cylinder HC	Square hydraulic cylinder HCL	Nitrogen springs CTX1000-10000N	Stainless steel series BT-B0001	Stainless steel series BT-C0009


※Due to limited layout and many more products information is not exhaustive, as for detailed information, please call 86-769-83600929

Collapsible core

To make the mold more simple




Mat.: 1.2379 / 60 HRC




h3	h4	l2	l3	l5	l6	d2	d4	d5	d6	d7	d8	d9	d10	d11	d12	d13	d1	Nr./No.
5	10	53	17	18	5	10.66	3	10	16	36	45	5	M3	M5	3	21	**12**	BT 3600/12
		73		25	6	15.32	4	14	20	43	52	6				25	**17**	17
8	16	93	22	32		20	6	16	24	54	66	8	M4	M6	4	31	**24**	24
		113	27	38		24.	8	20	29	66	77		M5			39	**29**	29
10	20	138		45		29.2	10	25	35	78	89					46.5	**35**	35
		174	36	55		38	12	32	43	98	110	10	M6	M8	5	60	**45**	45
12	24	214		65		46.8	16	40	52	116	129				6	73	**55**	55


Product features:


1. It is used for internal thread of round products and internal reverse release
2. Mechanical internal telescopic structure design
3. Compact design
4. Applicable to single and multi-cavity molds, reducing the installation space of molds
5. Shorten the mold production cycle
6. With cooling water channel inside, the product molding time is fast
7. Replaced the gear die with complex structure
8. The production time of the product is improved and the demoulding speed is fast
9. Various standard specifications can be selected, and non-standard customization is also available




Non-standard customization
Non-standard items











Improve Efficiency Peduce Costs

Create a professional manufacturer of mold peripheral parts








Baito Precision insists on promoting the high-quality development of the mold industry

Date stamp



DONGGUAN BAITONG PRECISION MOULD MANUFACTURING CO.,LTD.

Address: No. 2, Weile Street, Huangjiang Town, Dongguan City, Guangdong Province
Tel: +86-769-87131011 87131012 83600929 83602268
+86-769-83667399 82605369
Fax: +86-769-82605699 83600919
E-mail: zhang@baitomould.com sales@baitomould.com

Address:688 Shuixiu Road, Yushan Town, Kunshan City,
Suzhou City, Jiangsu Province,China.
Tel: +86-512-57813826
Fax: +86-512-57813836
Http: //www.baitomould.com
Http: //dgbaitong.en.alibaba.com